

Recommended Browser Settings

May 2013

	infinitecampus.com	\

This document is intended for restricted use only.

Infinite Campus asserts that this document contains proprietary information that would give our competitors undue advantage should they come into possession of any part or all of it. As such, this document cannot be publicly disclosed unless so ordered by a court of competent jurisdiction.

©2013 Infinite Campus, Inc. All rights reserved.

INFINITE CAMPUS and Transforming K12 Education are registered trademarks of Infinite Campus, Inc. The INFINITE CAMPUS logo is a trademark of Infinite Campus, Inc. This publication, or any part thereof, may not be reproduced or transmitted in any form or any means, electronic or mechanical, including photocopying, recording, storage in an information retrieval system, or otherwise, by anyone other than Infinite Campus, Inc. without written permission of Infinite Campus, Inc., 4321 109th Avenue NE, Blaine, MN 55449, tel. (651) 631-0000, email info@infinitecampus.com.

Recommended Browser Settings

Internet Explorer Settings (PC) | Mozilla Firefox Settings (PC) | Mozilla Firefox Settings (Mac) | Safari Settings (Mac) | Chrome Settings (PC)

Infinite Campus recommends modifying certain browser settings for optimal use of Infinite Campus software. Browsers should be kept current by applying service packs and updates as provided by the operating system. Infinite Campus currently supports Internet Explorer and Mozilla Firefox browsers on a PC platform. Mozilla Firefox, Safari and Camino browsers are supported on the Macintosh platform.



Infinite Campus cannot guarantee full support of all browsers or all versions. Please see the Supported Platforms page for more up-to-date information on browser and platform support.



Opening multiple instances of Campus in the same browser is not supported and can lead to data issues.

Internet Explorer Settings (PC)

For the most recent browser versions that are supported in Campus, see the **Supported Platforms** article.



The names and locations of settings may vary slightly across versions (the following were based off of IE 8 on a Windows environment).

To access the browser settings, navigate to the Tools menu and select Internet Options.




Image 1: Internet Explorer Tools Menu

The following settings are recommended:

General Settings

On the General tab:




Image 2: General Settings for Temporary Files (IE)

- 1. Click the **Settings** button of the Browsing History section.
- 2. On the Temporary Internet Files dialog box, set the Check For Newer Versions of Stored Pages option to **Every Time I Visit the Webpage**.
- 3. Click OK.

Security Settings

On the Security tab, several settings are applicable.

Trusted Sites

Set Infinite Campus as a trusted site:



Image 3: Security Settings for Trusted Sites

- 1. Select the **Trusted sites** icon from the "Select a zone..." box.
- 2. Click Sites.
- 3. If not automatically displayed, enter the URL address of the Campus application in the **Add this** website to the zone field.
- 4. Click Add.
- 5. Verify that the address appears in the **Website** box.
- 6. If the site is not a secure site indicated by an "https" in the URL remove the mark from the Require server verification (https:) for all sites in this zone checkbox.
- 7. Click **Close** on the Trusted Sites window to return to the Security tab.

Downloads

On the Security tab, configure the download settings:




Image 4: Security Settings for Downloads (IE)

- 1. Click the **Custom Level** button.
- 2. Locate the Downloads section. Enable both the **Automatic Prompting for File Downloads** and the **File Download** options.

SmartScreen Filter

While still in the Security Settings window, turn off the SmartScreen Filter for the zone:



Image 5: Miscellaneous Security Settings (IE)

- 1. Toward the bottom of the list, under "Miscellaneous," **Disable** the SmartScreen Filter.
- 2. Click OK.
- 3. On the verification window, click **Yes**.

Privacy Settings

On the Privacy tab:




Image 6: Privacy Settings for Pop-Ups (IE)

- 1. The privacy setting for the Internet zone should be set to **Medium**.
- 2. The Pop-up Blocker section should allow pop-ups to the Infinite Campus site in one of the following manners:
 - The Turn On Pop-Up Blocker checkbox is not marked (allowing all pop-ups from all sites),
 OR
 - The Turn On Pop-Up Blocker checkbox is marked, but the Infinite Campus website is allowed:
 - Click the Settings button.
 - Enter the URL of the Campus application in the Address of website to allow field.
 - Click Add
 - Verify that the address just added now appears in the Allowed Sites list.
 - Click Close.
- 3. Click OK.

Content Settings

On the Content tab:




Image 7: Content Settings for Auto-Complete (IE)

- 1. Click the **Settings** button of the AutoComplete section.
- 2. On the AutoComplete Setting dialog box, remove marks from the **Forms** and **User Names and Passwords On Forms** checkboxes.
- 3. Click Delete AutoComplete History.
- 4. Click OK.

Advanced Settings

On the Advanced tab, there are several settings to configure.

Auto-Complete

Turn off auto-complete:




Image 8: Advanced Settings for Browsing (IE)

Under the Browsing settings, unmark the **Use Inline AutoComplete** checkbox.

Java

Set JRE for Java:




Image 9: Advanced Settings for Java (IE)

Under the Java (Sun) settings, mark the Use JRE... checkbox.

SSL and SmartScreen Filter

Turn on SSL and the SmartScreen Filter:




Image 10: Advanced Settings for Security (IE)

Under the Security settings:

- 1. Enable the **SmartScreen Filter** to protect against phishing. (This setting was turned off for the Infinite Campus zone in previous steps, but should otherwise be enabled.)
- 2. Mark the **Use SSL 2.0** and **Use SSL 3.0** checkboxes. Infinite Campus utilizes Secure Socket Layer encryption to protect data as it travels through the web.

ActiveX vs. XMLHTTP

Users and organizations which choose to disallow ActiveX controls can still use XMLHTTP-based web applications within Internet Explorer. However, XMLHTTP support can be disabled by unmarking the **Enable native XMLHTTP support** checkbox on the Advanced settings tab (see Image 11).




Image 11: Disabling XMLHTTP Support

Best Practice – Clear Browsing History

Periodically, Infinite Campus recommends users delete cached browsing files for improved performance and heightened security. On the General tab:




Image 12: Best Practice Clear History (IE)

- 1. Click the Settings button in the Browsing History section.
- 2. Mark (at least) the Temporary Internet Files, Cookies and Passwords checkboxes.
- 3. Click Delete.
- 4. Also click the **Delete** button in the Browsing History section.

Mozilla Firefox Settings (PC)

For the most recent browser versions that are supported in Campus, see the <u>Supported Platforms</u> article.



A The following settings were based off of a Firefox 3.0 configuration. The names of settings and their locations may vary slightly in other versions.

To protect security, the following browser options should be configured. To access browser settings, navigate to the Tools menu and select Options.



Image 13: Tools Menu (Firefox for Windows)

Content Settings

On the Content tab:




Image 14: Content Settings for Pop-Ups (Firefox for Windows)

Pop-up windows must be allowed on the Infinite Campus site in one of the following manners:

- Either the Block Pop-Up Windows checkbox is left unmarked, OR
- The **Block Pop-Up Windows** checkbox is marked, but the Infinite Campus site is on the Allowed Sites list:
 - Click the Exceptions button.
 - Enter the Infinite Campus site URL in the Address of Web site field.
 - Click Allow.
 - Click Close.

Privacy Settings

On the Privacy tab:





Image 15: Privacy Settings for Private Data (Firefox for Windows)

- 1. Select Use custom settings for history in the first dropdown list.
- 2. Mark the last checkbox, Clear history when Firefox closes.
- 3. Click the Settings button.
- 4. Mark (at least) the following checkboxes: Form & Search History, Cookies, Cache, and Saved Passwords.
- 5. Click OK.



Security Settings

On the Security tab:




Image 16: Security Settings for Passwords (Firefox for Windows)

In the Passwords section:

- Remove the checkmark from the Remember Passwords For Sites checkbox, OR,
- If passwords should be remembered, mark the Remember Passwords For Sites checkbox but verify that Infinite Campus sites are on the Exception list:
 - Click the **Exceptions** button.
 - Check for Infinite Campus sites on the Exceptions window. If Infinite Campus sites do not appear:
 - Click Close on the Exceptions window.
 - Click the Saved Passwords button to see if the usernames/passwords have already been stored.
 - Remove saved usernames/passwords for Infinite Campus sites.
 - Click Close.

Advanced Network Settings

On the Advanced tab:




Image 17: Advanced Settings for Connections and Storage (Firefox for Windows)

- 1. Verify that the network Connection **Settings** reflect proper district/state setup.
 - This setting is largely dependent on the distric/state's specific network configuration.
- 2. Click the Clear Now button to clear the network cache.
- 3. Set the cached **MB** limit to a low number (e.g., 50 or less).

Enabling Adobe Acrobat to Open PDF/FDF Files

Due to numerous issues caused by opening PDF and FDF files within Firefox's PDF plugin, users are highly encouraged to change the setting to open these files within Adobe Acrobat.





Image 18: Accessing Firefox Options


- 1. Select the orange **Firefox** tab in the upper left-hand corner.
- 2. Select **Options** and then select **Options** again (see image above).
- 3. Select the **Applications** tab at the top and search for **pdf** within the search box provided. A Content Type of **Portable Document Format (PDF)** should appear (see image below).



4. Set the Action to **Use Adobe Acrobat (in Firefox)** and select the **OK** button.

Mozilla Firefox Settings (Mac)

For the most recent browser versions that are supported in Campus, see the **Supported Platforms** article.



To protect security, the following browser options should be configured. To access browser settings, navigate to the Firefox menu and select the **Preferences** option:



Image 19: Tools Menu (Firefox for Mac)

Content Settings

On the Content tab:




Image 20: Content Settings for Pop-ups (Firefox for Mac)

Pop-up windows must be allowed on the Infinite Campus site in one of the following manners:

- Either the Block Pop-Up Windows checkbox is left unmarked, OR
- The Block Pop-Up Windows checkbox is marked, but the Infinite Campus site is on the Allowed Sites list:
 - Click the **Exceptions** button.
 - Enter the Infinite Campus site URL in the Address of Web site field.
 - Click Allow.
 - Exit the window.


Advanced Network Settings

On the Advanced tab:



Image 21: Advanced Network Settings for Connection and Storage (Firefox for Mac)

1. Verify that the network Connection **Settings** reflect proper district/state setup.



- 2. Click the Clear Now button to clear the network cache.
- 3. Set the cached **MB** limit to a low number (e.g., 50 or less).

Privacy Settings

On the Privacy tab:





Image 22: Privacy Settings for History and Private Data (Firefox for Mac)

- 1. Set the Private Data settings to Always Clear Private Data on browser close.
- 2. Click Settings.
- 3. Mark at least the Cache, Cookies, Saved Passwords and Authenticated Sessions checkboxes.
- 4. Click OK.



Security Settings

On the Security Tab:



Image 23: Security Settings for Passwords (Firefox for Mac)

- Remove checkmark from the Remember Passwords for Sites checkbox, OR,
- If passwords should be remembered, mark the Remember Passwords For Sites checkbox but verify that Infinite Campus sites are on the Exception list:
 - Click Exceptions.
 - Check for Infinite Campus sites on the Exceptions window. If Infinite Campus sites do not appear:
 - Close the Exceptions window.
 - Click the Saved Passwords button to see if the usernames/passwords have already been stored.
 - Remove saved usernames/passwords for Infinite Campus sites.
 - · Close the Saved Passwords window.

Safari Settings (Mac)

For the most recent browser versions that are supported in Campus, see the <u>Supported Platforms</u> article.

A

The names and locations of settings may vary slightly across versions.

Enabling 32-bit Mode

Infinite Campus recommends operating Safari in 32-bit mode to allow saving of FDF forms in Campus with Adobe Reader.




Image 24: Safari 32-bit Mode


- 1. Close all open Safari browsers.
- 2. Open a new **Finder** window.
- 3. Navigate to the Applications folder.
- 4. Select Safari.
- 5. Go to the **File** menu.
- 6. Select Get Info.
- 7. In the Safari Info window, open the **General** section.
- 8. Select the Open in 32-bit Mode checkbox.
- 9. Close the Safari Info window. Upon re-opening Safari, 32-bit mode will be enabled.

To protect security, the following browser options should be configured on the Safari menu:



Image 25: Security Settings for Browsing (Safari)

- 1. Turn on **Private Browsing** to erase cookies, auto-fill items and other cached information.
- 2. Infinite Campus recommends disabling the **Block Pop-up Windows** setting, so Infinite Campus pop-ups will be allowed.



Preferences

On the Safari menu (shown in Image 19), select the Preferences option. On the AutoFill tab:



Image 26: Preference Settings for AutoFill (Safari)

Remove the checkmark from the auto-filling **Usernames and password** checkbox.

Properly Opening FDF/PDF Files when Using Safari 5.1+ on Mac OS X 10.6+



Adobe has issued an update for Adobe Reader and Acrobat X which corrects PDF and FDF issues found within Safari 5.1+ and OS X 10.6+. Users are highly encouraged to update to Adobe Reader and/or Acrobat X 10.1.3.

For more information about this update, <u>click here</u>. To download Adobe Reader 10.1.3, click here.

For users who need to open FDF files within Safari 5.1 while running on OS X 10.6+ and are not able to update Adobe Reader and/or Acrobat to 10.1.3, the following workaround must be performed.

Step 1.

Single-click the FDF file you wish to open (outside of Campus) while holding the Control key. From the File menu, select Get Info (or select the file and press Command - I). See the image below.



Image 27: Accessing the Get Info Window

Step 2.

In the Info window, click the triangle next to **Open with:** to expand the dropdown list. From the **Open with:** dropdown list, select **Acrobat Reader** (see image below). Skip to Step 4.

If Acrobat Reader is not listed or the version listed is not the most up-to-date version installed on the computer, select **Other...** within the **Open with:** dropdown list and proceed to Step 3.




Image 28: Modifying Open With Settings

Step 3.

Once **Other...** is selected from the **Open with:** dropdown list, navigate through the Applications folder and locate the icon for the Adobe Reader application. Select the Adobe Reader application so that it highlights in blue and click the **Add** button (see the image below).



Image 29: Selecting the Adobe Reader Application

Step 4.

Within the Info window, click the **Change All...** button so that all subsequent PDF and FDF files will automatically open within Adobe Acrobat Reader instead of within the web browser (see image below). A confirmation message will appear, requiring you to click **Continue** in order to complete changes made.




Image 30: Changing All PDF Documents to Open in Adobe Reader

Chrome Settings (PC)

For the most recent browser versions that are supported in Campus, see the **Supported Platforms** article.

To access the browser settings, select the three lines button in the upper right-hand corner of the browser window and select **Settings** (see image below).




Image 31: Chrome Settings Menu

The following settings are recommended:

Downloads

You should specify where files downloaded within Chrome should be saved on your computer.




Image 32: Specifying Download Location

- 1. Select the three lines button in the upper right-hand corner of the browser window.
- 2. Select Settings.
- 3. Scroll down and select **Show advanced settings**.
- 4. Scroll down to the Downloads section.
 - To change the default location for downloaded files, click the Change button and select where files should be stored.
 - To have Chrome prompt you to select a location each time a file is downloaded, mark the Ask where to save each file before downloading checkbox.

Privacy Settings

Privacy settings should be reviewed to ensure they meet your district's policies and requirements.



Image 33: Accessing Privacy Settings

- 1. Select the three lines button in the upper right-hand corner of the browser window.
- 2. Select Settings.
- 3. Scroll down and select Show advanced settings.
- 4. Scroll down to the Privacy Settings section.

Content Settings

You should adjust the browser's pop-up blocker to exclude Campus pop-up windows.



Image 34: Modifying the Pop-up Blocker

- 1. Select the three lines button in the upper right-hand corner of the browser window.
- 2. Select Settings.
- 3. Scroll down and select Show advanced settings.
- 4. Scroll down to the Privacy Settings section.
- 5. Select the Content Settings button.
- 6. Scroll to the Pop-ups section and select the Manage Exceptions button (see image below).



7. Enter the URL of the Campus application in the Add a new hostname patt field, set the Behavior

to Allow and click the **Done** button (see image below).



Best Practices

The section describes best practices for setting up Chrome to work better with Campus.


Clear your Browser History

It is good practice to clear your browsing history on a regular basis.



Image 35: Clearing Browsing History

- 1. Select the three lines button in the upper right-hand corner of the browser window.
- 2. Select Tools.
- 3. Select Clear browsing data.
- 4. Select the **Beginning of time** option to clear your entire browsing history.
- 5. Click Clear browsing data.



Disable the Chrome PDF Viewer

Due to numerous issues caused by opening PDF and FDF files within Chrome's PDF Viewer, users are highly encouraged to disable the Chrome PDF Viewer plug-in.




Image 36: Disabling the Chrome PDF Viewer

- 1. Enter **chrome://plugins** into the URL bar and hit enter. A list of installed browser plug-ins will appear (see image above).
- 2. Locate the Chrome PDF Viewer plug-in and click Disable.